

Antibiotics Stewardship and Infection

Advocate Children's Hospital, Oak Lawn

- [Reducing Vancomycin Use in the NICU](#) **B 1**

Advocate Children's Hospital, Park Ridge

- [Strategic Plan to Reduce Antimicrobial Exposure to Infants Within the Neonatal Intensive Care Unit](#) **B 2**

Akron Children's Hospital

- [Surgical Prophylaxis: A Plan to Standardize Antibiotic Choice, Dosing and Duration](#) **B 3**

Akron Children's NICU, St. Elizabeth – Boardman

- [Antibiotic Stewardship Implementation at a Community Based Level III NICU](#) **B 4**

Ann & Robert H Lurie Children's Hospital

- [Standardization of Perioperative Antibiotic Prophylaxis through the Development of Procedure-Specific Guidelines in the NICU](#) **B 5**

Athens Regional Medical Center – NICU

- [Providing Antibiotic Education to Parents of Babies Started on Antibiotics in the NICU and Nursery through Approved Informational Handout](#) **B 6**
- [Reduction of Antibiotic Use in Newborn Nursery through Education and Changes in Sepsis Protocol](#) **B 7**
- [iNICQ Year 2, Continued Elimination of Unnecessary Ampicillin Doses and Timely Administration of Antibiotics](#) **B 8**

Atlanticare Regional Medical Center

- [Reduction in Empiric Antibiotic Use in a Community NICU through Antibiotic Stewardship](#) **B 9**

Baptist Children's Hospital, Florida

- [NICU Antibiotic Stewardship: Quality Improvement Process The Good Bugs And The Babies Will Thank You!](#) **B 10**

Barbara Bush Children's Hospital at Maine Medical

- [Antibiotic Stewardship in the NICU: Reducing the Antibiotic Exposure in All Infants with Suspected Early Onset Sepsis](#) **B 11**

Baystate Medical Center

- [Adherence to Clinical Care Guidelines to Decrease Antibiotic Utilization Rate in a Level III NICU – A QI Initiative](#) **B 12**

Berkeley Medical Center

- [Using Antibiotics Wisely: Change in a Small NICU](#) **B 13**

Cabell Huntington Hospital, Inc.

- [Obtaining Consistency of Antibiotic Use by Implementing a 48 Hour Hard Stop](#) **B 14**

Carle Foundation Hospital

- [iNICQ 2017: Reduction in Antibiotic Exposure for Inborn NICU Admissions \$\geq\$ 34 Weeks Gestation](#) **B 15**

Children's at Providence, Alaska

- [Providence Alaska Medical Center Quality Improvement Initiative to Reduce Unnecessary Antibiotic Exposure by Standardization of Practice in the NICU Population](#) **B 16**

Children's Hospital at Bronson

- [Choosing Antibiotics Wisely: Surgical Indications and Late Onset Sepsis](#) **B 17**
- [Antibiotic Stewardship in the Term Newborn Nursery; Evaluation of the Neonatal Sepsis Risk Calculator to Guide Clinical Management](#) **B 18**

Children's Hospital Colorado at Memorial Hospital

- [Decreasing Antibiotics Utilization Rates Among All Patients through Multidisciplinary Collaboration and Education in a High Level Neonatal Intensive Care Unit](#) **B 19**
- [Using QI to Improve the Time to First Dose of Antibiotics in Infants in a Colorado NICU](#) **B 20**

Children's Hospital of Philadelphia

- [Improvement on a Large Scale: Success and Challenges of Developing an Antibiotic Stewardship Collaborative Among 12 Hospitals in the CHOP Newborn Care Network](#) **B 21**

Children's Hospital of San Antonio

- [Reducing Antibiotic Use in the First 72 Hours of Life Through a Multi-Disciplinary Team Discussion on Admission](#) **B 22**

Cohen Children's Medical Center

- [A Quality Improvement Initiative to Optimizing the Diagnosis and Management of Pneumonia in Intubated Neonates](#) **B 23**

Cohen Children's Medical Center, Northwell Health

- [Reducing AUR in a Children's Hospital NICU: Discontinuing Antibiotics for Negative Late Onset Sepsis Workups Using 48-Hour Reminders and Reducing Treatment of Contaminants and/or Low Colony Count Urine Cultures](#) **B 24**

Columbus Regional

- [Improving Antibiotic Prescribing: Implementation of Stewardship Initiatives Including a 48-Hour Automatic Stop](#) **B 25**

Crozer Chester Medical Center

- [Neonatal Antibiotic Stewardship in a Community Hospital Health System Year Two: Sustaining Risk-Based Decreased Antibiotic Utilization and Implementing Antibiotic Stewardship Elements in our Maternal-Child Health Division](#) **B 26**

Crozer Keystone Health System

- [Creating a Standardized, Evidence Based Approach to Enteral Feeding in the NICU](#) **B 27**

Dell Children's Medical Center of Central Texas

- [Decreasing Antibiotic Use in Well Newborns with Mothers Diagnosed with Chorioamnionitis](#) **B 28**

Duke University

- [Tracking Antibiotic Stewardship Efforts in a Tertiary Referral NICU](#) **B 29**

Emory University Hospital, Midtown

- [Using the Model of Improvement to Decrease Prolonged Initial Empiric Antibiotic Exposure Among Newborns Receiving NICU Care](#) **B 30**

Golisano Children's Hospital at Strong

- [Reducing Antibiotic Use in a Community Hospital by Integrating the Kaiser Sepsis Risk Calculator into the Electronic Medical Record \(EMR\)](#) **B 31**
- [Continued Reduction in Unnecessary Antibiotic Use Through Implementation of the Sepsis Risk Calculator, 36-Hour Defaults, Regular Reporting, and New Guidelines for Evaluating Common Infectious Conditions](#) **B 32**

Inova Children's Hospital

- [Improving the Antibiotic Utilization Rate in a Large Level IV NICU](#) **B 33**

Inova Fair Oaks Hospital

- [Improving The Antibiotic Utilization Rate In A Large Level IV NICU Through Quality Improvement Interventions and Formalization of an Antimicrobial Stewardship Team](#) **B 34**

Jackson Madison County General Hospital

- [One NICU's Experience in Significantly Decreasing Antibiotic Utilization Through the Use of Quality Improvement Process](#) **B 35**

Johnston-Willis Hospital

- [Improving Antibiotic Utilization Rates Utilizing an Early Onset Sepsis Algorithm and Antibiotic Hard-stop in Two Community Well Baby Nurseries and NICUs](#) **B 36**

Kadlec Medical Center

- [The Continuing Challenge to Reduce Unnecessary Antibiotic Use in a Community NICU – A Quality Improvement Initiative through VON iNICQ 2017](#) **B 37**

Kaiser Sunnyside Medical Center

- [Improving Education and Participation of Parents with Antibiotic Administration](#) **B 38**
- [Decreasing the Initial Antibiotic Administration Time to < 60 Minutes](#) **B 39**

Kapi'olani medical Center for Women and Children

- [Antibiotic Time Out and Standardization of Practice to Optimize Antibiotic Utilization Rate](#) **B 40**

Lucile Packard Children's Hospital (LPCH) at Stanford University

- [Improving Antibiotic Utilization for Late-Onset Sepsis and Necrotizing Enterocolitis in the NICU](#) **B 41**

Maricopa Integrated Health System

- [Effects of an Antimicrobial Dosing Guideline for Inpatient Neonates](#) **B 42**

Memorial Hermann Memorial City Medical Center

- [Decreasing Antibiotic Doses for Early Onset Sepsis Evaluation and Standardization of Antibiotic Parent Education in a Level III NICU](#) **B 43**

Mercy Children's Hospital, Ohio

- [A Quality Improvement Project to Improve Timely Administration of First Dose of Antibiotics in the NICU](#) **B 44**
- [To Determine If Admission and Four Hours Old EOS Scores Correlate with Antibiotic Usage in Management of Rule Out Early Onset Sepsis in Infants >34 weeks AOG](#) **B 45**

Mercy Hospital and Medical Center, Illinois

- [Optimizing Ampicillin and Gentamicin Administration for Neonatal Early Onset Sepsis, Using Quality Improvement Methodology](#) **B 46**

Methodist Children's Hospital

- [Improving antibiotic stewardship in the NICU: an ongoing quality improvement initiative](#) **B 47**

Memorial University Medical Center, Savannah

- [Decreasing Antibiotic Usage for Suspected Early Onset Sepsis in Term and Preterm Infants Utilizing Automatic Stop Orders after 48 hour Treatment](#) **B 48**

Monroe Carrel Jr. Children's Hospital Vanderbilt

- [Reduction of Antibiotic Use in Early Onset Sepsis Rule-Outs By Incorporating Automatic Antibiotic Hard Stops](#) **B 49**

Nebraska Medicine

- [Reducing Antibiotic Usage and Unnecessary Admissions in the Newborn Intensive Care Unit](#) **B 50**

New Hanover Regional Medical Center, Betty H Cameron Women and Children's

- [iNICQ 2016-2017: Don't "Bug" my Microbiome: A Standardized Approach to using Antibiotics Wisely](#) **B 51**

Nicklaus Children's Hospital

- [Reducing Antibiotic Use in the NICU: Evaluating the Effect of Participating in iNICQ Choosing Antibiotic Wisely](#) **B 52**

North Colorado Medical Center

- [Evaluating Time Gap in Blood Culture Collection and Processing: Impact on Time to Positivity?](#) **D 1**

Oregon Health & Science University

- [NICU Antibiotic Stewardship: Implementing Hard Stops within Electronic Orders and Understanding Variation in Antibiotic Utilization Rate](#) **D 2**

Overlake Hospital

- [Systematic Implementation of the Sepsis Risk Calculator Decreases NICU Admissions, Avoids Maternal Infant Separation, and Increases Breastfeeding Rate in a Community Hospital](#) **D 3**

Overland Park Regional Medical Center

- [Reducing Inappropriate Antibiotic Therapy at Overland Park Regional Medical Center's NICU](#) **D 4**

Patologia Neonatale Ospedale San Bortolo

- [A Quality Improvement Project Aimed at Decreasing Antibiotic Utilization Rate In Infants > 35 Weeks by Standardizing the Care and Early Discontinuing Antibiotics](#) **D 5**

Penn State Health Children's Hospital

- [Prevention of Central Line-Associated Bloodstream Infection \(CLABSI\) in a Level IV NICU](#) **D 6**
- [Reducing Non-Infectious Central Line Complications in Infants Requiring Central Venous and Arterial Catheters](#) **D 7**

Phoebe Putney Memorial Hospital

- [Decreasing AUR by Stopping Antibiotics on Negative Blood Culture at 36 hours in a Regional Perinatal Center in Southwest Georgia](#) **D 8**

Phoenix Children's Hospital

- [Decreasing the Antibiotic Footprint in the NICU Through Education and Interventional Tools](#) **D 9**

Poudre Valley Health System

- [Antibiotic Utilization Rate \(AUR\) Reduction in a Level III Neonatal Intensive Care Unit \(NICU\)](#) **D 10**

Providence Portland Medical Center

- [Reducing Antibiotic Use through Change in NICU Culture by Improving Education and Communication](#) **D 11**

Providence St. Vincent Medical Center

- [Growing an Antibiotic Stewardship Program in a Community NICU Through Physician Feedback and Parent Education as Part of iNICQ: Choosing Antibiotics Wisely](#) **D 12**

Regional One Health

- [Reduction of Antibiotic Usage During the Early Onset Sepsis Evaluation in a Level IIIB NICU](#) **D 13**

Rex Hospital

- [Less is More: Decreasing Antibiotic Use in Neonates](#) **D 14**

Robert Wood Johnson University Hospital

- [Impact of Multidisciplinary Antimicrobial Stewardship Intervention on Discontinuation of Empiric Therapy for Early Onset Sepsis](#) **D 15**

Rockford Memorial Hospital

- [Standardization of Antibiotic Use in Newborn Infants with Gestational Age of 34 Weeks or Greater At Risk for Early Onset Sepsis](#) **D 16**

Rogue Regional Medical Center

- [Increasing Parental Awareness Of Antibiotic Usage In The NICU](#) **D 17**

Saint Joseph Hospital, Denver

- [Decreasing the Number of Doses of Antibiotics for the Treatment of "Early Rule Out Sepsis"](#) **D 18**

Salem Hospital

- [Implementing a Risk-based Approach to Antibiotic Utilization in Newborns](#) **D 19**

Singleton Hospital Neonatal Unite, Swansea

- [Managing Antibiotics Wisely - A VON Quality Improvement Collaborative to Reduce Antibiotic Use on the Neonatal Unit without Compromising Patient Safety.](#) **D 20**

Sisters of Charity Hospital

- [Implementation of the Kaiser Sepsis Risk Score to Decrease Antibiotic Initiation in the NICU](#) **D 21**

SSM Health Cardinal Glennon Children's Hospital

- [Improving Vancomycin Utilization in the NICU for Late Onset Sepsis](#) **D 22**

St. Charles Health Care

- [Antibiotic Stewardship in a Rural Level III NICU](#) **D 48**

St. Francis Hospital

- [Antimicrobial Stewardship in the NICU: Decreasing Unnecessary Blood Drawn and Antibiotics use in the NICU.](#) **D 23**

St. John Medical Center

- [Bad Bugs, Bad Drugs: Whatcha Gonna Do When They Come To You?](#) **D 25**

St. Joseph Medical Center, Washington

- [Nurse-Driven Change in Early-Onset Sepsis Detection and Treatment in Neonates > 35 Weeks](#) **D 26**

St. Mary's Hospital and Medical Center

- [Improvement and Standardization Decreases Antibiotic Use Rates by 21% in Level III Neonatal Intensive Care Unit Over a 1 Year Period](#) **D 27**

St. Vincent Women's Hospital, Indiana

- [Reducing Unnecessary Antibiotic Exposure in Early Onset Sepsis Evaluations through the Implementation of an Antibiotic Stewardship Program](#) **D 28**

St. Vincent Hospital and Health Center, Montana

- [Reducing Antibiotic Use and Sepsis Evaluations in Newborns >34 weeks gestation with Sepsis Risk Calculator](#) **D 29**

Stony Brook University Medical Center

- [Stewardship Rounds And Daily Audits Optimize Antibiotic Utilization Rates And Practice Variations In A Tertiary Care NICU](#) **D 30**

Sunnybrook Health Science Centre

- [Decreased Vancomycin Use in ELBW Infants with Implementation of Limited UVC Dwell Time Policy](#) **D 31**

Thomas Jefferson University Hospital

- [An Enteral Nutrition Bundle to Reduce the Incidence of Necrotizing Enterocolitis in a Level III Intensive Care Nursery](#) **D 32**

Trinity Hospital

- [Antimicrobial Stewardship: Quality Improvement Project in a Rural Hospital](#) **D 33**

Tulane-Lakeside Hospital for Women and Children

- [Decreasing Antibiotic Use By Implementing 36-Hour Rule Out Guidelines](#) **D 34**

University of Michigan, CS Mott Children's, Brandon NICU

- [Reduction in Days of Therapy of Vancomycin in NICU Infants](#) **D 35**
- [Clinical Archetypes of Neonatal Sepsis and the Variable Effectiveness of the "48 Hour Time Out" in Reducing Antibiotic Use in an NICU](#) **D 36**

UF Health Jacksonville

- [Role of Placental Blood Culture in Evaluation for Early Onset Sepsis](#) **D 37**
- [Antibiotics Time-Out in the Neonatal Intensive Care Unit: Charge Nurses Taking Charge](#) **D 38**
- [Implementation of Antibiotic Guidelines Decreases Antibiotic Usage Rate and Provider Variability in Level III NICU](#) **D 39**
- [Impact of Antibiotic Stewardship in the Neonatal Intensive Care Unit on Length of Stay and Hospital Cost](#) **D 40**
- [Impact of Sepsis Risk Calculator in Reducing Antibiotic Usage](#) **D 41**

University of New Mexico

- [Evaluation of a QI Intervention to Decrease the Proportion of Positive Blood Cultures and Hospital Costs Associated with False Positive Blood Cultures](#) **D 42**

University of South Alabama Children's and Women's Hospital

- [A Quality Improvement Initiative to Reduce the Unwarranted Sepsis Evaluations and Antibiotic Exposure Among Asymptomatic Newborn Infants in a Level 1 Newborn Nursery](#) **D 43**
- [Decreasing the Antibiotic Utilization Rate by Preventing Late Onset Sepsis in a Neonatal Intensive Care Unit: A Quality Improvement Initiative](#) **D 44**

WakeMed Health & Hospitals

- [Implementation of Sepsis Risk Calculator into an Electronic Medical Record to Decrease Antibiotic Utilization Rate in the Newborn Nursery](#) **D 45**

West Virginia University (WVU) School of Medicine

- [Reducing Antibiotic Use through Stewardship in the NICU: Standardizing Antibiotic Selections and Durations](#) **D 46**

Woman's Hospital of Texas

- [Responsible Utilization of Antibiotics in Neonates for Early Onset Sepsis](#) **D 47**